BIREL ART RENTAL KART =

IF YOUR PASSION IS DRIVING...

Choose Birel ART Rental Kart. Our karts replicates the feel of real kart racing. Feel the vibes of driving!





NHE

9

birel/RT

WWW.BIRELARTRENTAL.COM



PURE PASSION

We build karts, because motorsport is our passion!

Karting is the origin of Racing and our go-karts, distinguished by Italian excellence famous all over the world, gives the opportunity to all fans of this world to become real drivers or have fun trying the thrill of adrenaline on the track.

> Birel ART is also present in the Rental sector with a complete range of Karts.

> > ELECTRIC ALSO OF COURSE!

SUMMARY

Page	3	WHO IS Birel ART
Page	4	N35-XR ST
Page	8	N35-YR ST
Page	12	N35-XR ST ROTAX
Page	16	N35-TWIN
Page	20	N32-XR J
Page	24	B25-RT



BIREL ART

Tradition and Innovation

We represent a company where tradition and innovation come together every day to feed the legend of the Birel ART brand. Our plus is the ability to combine the development of advanced technological solutions with the craftsmanship and experience that distinguishes us.

Passion and Excellence

The passion for motorsport is the sap that drives us to set ambitious goals to satisfy our customers. We are always in step with the times, curious and open to new things to grow our skills and offer excellence.

Individual and team

Our company is a big family with a strong sense of belonging, human resources are very important for us and ours is a team where competence and passion always go hand in hand.

Emotion

Birel ART - for more than 60 years we have continued the passion for a sport that has formed and continues to train all the F1 drivers. With heart, pride and enthusiasm we keep alive the passion for the racing world and allow all those who love the thrill of driving to be able to do it in great safety and at high technical levels and performances.

> « For those who like racing, I advise the karting and to do it with love and dedication. » Ayrton Senna - December /1982



ONLY 140 KILOGRAMS

WITH ADJUSTABLE PEDAL, AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART.

*AVAILABLE ALSO THE VERSION N-35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)











N35-XR ST	
Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	180x8
BRAKE POSITION	REAR
THANK CAPACITY	10 LIT
Ø STEERING WHEEL	320 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N-35
COVER	REAR
SEAT AND PEDALS	ADJUSTABLE



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

ONE OF OUR BEST SELLING PRODUCTS



N35-XR ST





HEADREST



SAFETY BELTS



WEIGHT HOLDER


YELLOW: 5KG RED: 10 KG BLACK: 15 KG





WITH ADJUSTABLE PEDAL, ADJUSTABLE STEERING WHEEL POSITION AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART.







NEW FEATURES



NEW AXLE BEARING SUPPORT



NEW BRAKE SAFETY "MAGNUM"



ADJUSTABLE STEERING WHEEL POSITION





N35-YR ST	
Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR MAGNUM
BRAKE DISC	VENTILATED 180x20
BRAKE POSITION	REAR
THANK CAPACITY	10 LIT
Ø - STEERING WHEEL	320 mm - ADJUSTABLE
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N-35
COVER	REAR
SEAT AND PEDALS	ADJUSTABLE



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

DISCOVER OUR LAST MODEL



N35-YR ST





HEADREST



SAFETY BELTS



WEIGHT HOLDER

YELLOW: 5KG RED: 10 KG BLACK: 15 KG





ONLY 140 KILOGRAMS

WITH ADJUSTABLE SEAT. IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART. *AVAILABLE ALSO THE VERSION N-35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)












N35-XR ST ROTAX	
Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	mm 2036
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	180x8
BRAKE POSITION	REAR
THANK CAPACITY	10 LIT
Ø STEERING WHEEL	320 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N-35
COVER	REAR
SEAT AND PEDALS	ADJUSTABLE




14 **birelART**

THE STEP BEFORE RACING!



N35-XR ST ROTAX





HEADREST



SAFETY BELTS



WEIGHT HOLDER

YELLOW: 5KG RED: 10 KG BLACK: 15 KG






THE NEW KART FOR TWO PEOPLE WITH THE SAME DIMENSION AND THE SAME COMPONENTS OF THE CLASSICAL N-35 XR ST. COMPLETE WITH ROLL-BAR, SEAT BELTS, FOOTRESTS AND ADJUSTABLE STEERING WHEEL FOR THE PASSENGER IN ADDITION TO REGULATING PEDALS SYSTEM FOR THE DRIVER.








birel/IRT

(D)





N35-TWIN	
Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5 K
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	166X5
BRAKE POSITION	REAR
THANK CAPACITY	4 LIT
Ø STEERING WHEEL	320 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N-35
COVER	REAR
SEAT AND PEDALS	ADJUSTABLE



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

ONE KART FOR TWO PEOPLE



N35-TWIN







ONLY 105 KILOGRAMS

WITH ADJUSTABLE SLIDING SEAT, ADJUSTABLE SLIDING PEDALS, ADJUSTABLE STEERING WHEEL HEIGHT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). AVAILABLE WITH CHAIN OR BELT, HYDRAULIC BRAKE AND OPTIONAL HEADREST.














Ø TUBES32 mmWHEEL BASE980 mmREAR WIDTH1300 mmFRONT WIDHT1040 mmLENGHT1860 mmAXLE40x3x1010 MBRAKING SYSTEMHYDRAULIC RRBRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180TYRESMITAS SRH / DURO	N32-XR J	
REAR WIDTH1300 mmFRONT WIDHT1040 mmLENGHT1860 mmAXLE40x3x1010 MBRAKING SYSTEMHYDRAULIC RRBRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	Ø TUBES	32 mm
FRONT WIDHT1040 mmLENGHT1860 mmAXLE40x3x1010 MBRAKING SYSTEMHYDRAULIC RRBRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	WHEEL BASE	980 mm
LENGHT1860 mmAXLE40x3x1010 MBRAKING SYSTEMHYDRAULIC RRBRAKE DISC60x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	REAR WIDTH	1300 mm
AXLE40x3x1010 MBRAKING SYSTEMHYDRAULIC RRBRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	FRONT WIDHT	1040 mm
BRAKING SYSTEMHYDRAULIC RRBRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNHI 120 - NHI 180	LENGHT	1860 mm
BRAKE DISC80x166x5 ABRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	AXLE	40x3x1010 M
BRAKE POSITIONREARTHANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	BRAKING SYSTEM	HYDRAULIC RR
THANK CAPACITY4 LITØ STEERING WHEEL320 mmWHEELSNH 120 - NH 180	BRAKE DISC	80x166x5 A
Ø STEERING WHEEL 320 mm WHEELS NH 120 - NH 180	BRAKE POSITION	REAR
WHEELS NH 120 - NH 180	THANK CAPACITY	4 LIT
	Ø STEERING WHEEL	320 mm
TYRES MITAS SRH / DURO	WHEELS	NH 120 - NH 180
· · · · · · · · · · · · · · · · · · ·	TYRES	MITAS SRH / DURO
PODS N-32	PODS	N-32
COVER REAR	COVER	REAR
SEAT AND PEDALS ADJUSTABLE	SEAT AND PEDALS	ADJUSTABLE



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

A COOL KART FOR YOUNG DRIVER



N32-XR J





HEADREST



SAFETY BELTS



BELT DRIVE





MADE WITH 25 MM TUBES, ADOPTS ALUMINIUM HUBS, HQ DISK CARRIERS AND CROWN CARRIERS. ITS INCLUDES THE 2T 50 CC MOTOR WHILE THE BRAKE SYSTEM IS MECHANICAL WITH 200 MM DISKS.











B25-RT	
Ø TUBES	25 mm
WHEEL BASE	780 mm
REAR WIDTH	525 mm
FRONT WIDHT	550 mm
LENGHT	1240 mm
AXLE	25x880 B
BRAKING SYSTEM	MECHANICAL
BRAKE DISC	166x5
BRAKE POSITION	REAR
THANK CAPACITY	2 LIT
Ø STEERING WHEEL	320 mm
WHEELS	CR 115 + DR 150 A
TYRES	VEGA ETS 4.0 - 5.0
PODS	B25
SEAT AND PEDALS	FIXED

26 DITELART

BABY DRIVER? WE HAVE THE LITTLE KART!



B25-RT

AVAILABLE ENGINE VERSIONS

- HONDA GX 35 4 Stroke
- COMER C 51 2 Stroke
 - BLUE BIRD BB 50 2 Stroke





birelART

14

Birel ART Srl Via S. Michele del Carso, 40 - 20851 Lissone (MB) - Italy PH. +39 039 483440 - FAX +39 039 461232 E-Mail: info@birelart.com - www.birelart.com

birel/RT

WWW.BIRELARTRENTAL.COM